




# Oregon's Tsunami Program

Jonathan Allan and Althea Rizzo
Oregon Department of Geology and Mineral Industries
Oregon Emergency management



















# **Key Stakeholders**


Residents (56,506) and visitors (~2-3 x residents in summer);
 48 coastal communities, 10 ports/harbors.

Challenges: ~300 coastal bridges expected to fail, thousands of landslides…communities will be isolated → 2-week ready!


#### OEM

- NTHMP emergency management rep., Chair OR Tsunami Advisory Council, responsible for tsunami outreach.
- DOGAMI
  - Program lead, NTHMP science rep., mapping & modeling, evacuation modeling, risk assessments, Oregon tsunami clearinghouse.
- County emergency managers (7);
- Emergency volunteer groups (eg. Nehalem EVC, South Tillamook EVC);
- National Weather Service
  - Alerts and warnings, maintains TsunamiReady program
- Northwest Association of Networked Ocean Observing Systems (NANOOS)
  - maintains NVS Tsunami Evacuation Zones portal (<a href="http://nvs.nanoos.org/TsunamiEvac">http://nvs.nanoos.org/TsunamiEvac</a>)
    and TsunamiEvac smartphone app
- Oregon State University
  - · Geology (paleoseismology), risk assessments, debris modeling

## Our mission...




## Primer... Distant Tsunamis




- Arrives ~3 hrs 40 mins hours after an eastern Alaska earthquake (~4 hrs south coast)
- Lower damage and flooding than local tsunamis
- Waves reach ~25 ft @ Tillamook Bay, ~39 ft @ Gold Beach
- National Tsunami Warning System can warn you

- 29 distant events since the mid 1850s;
- 19 = water levels (WLs) < 0.7 ft i.e. small...little to no impact to ports and harbors;
- 5 = water levels between 0.7 2 ft;
- 5 = water levels > 2 ft;
  - 1873 Northern California source (10 ft @ Port Orford)
  - 1946 Unimak Alaska (6 ft @ Clatsop Spit)
  - 1960 Chile (4.9 ft @ Seaside)
  - 1964 Anchorage, Alaska (WLs 8.2 12.1 ft in estuaries), <u>coincided with high tide</u>.
  - 2011 Tohoku, Japan (11 ft @ Port Orford vs.
     0.8 ft @ Astoria), coincided with low tide



## Primer... Local Tsunamis

North American Plate Overrides Juan de Fuca Plate Along Cascadia Subduction Zone at a rate of 1.5 inches/year



10,000 year record of deep sea turbidites, subsidence and tsunami inundation in coastal lakes and estuaries

19 = Great earthquakes (> 8.5 Mw)

26 = smaller events (> 7.4, < 8.5 Mw)

Tsunami waves arrive in minutes!

# Maps for Preparedness & Planning




#### **Evacuation brochures**



Online evacuation zone viewer




### Tsunami Inundation Maps





## Evacuation modeling... Beat the wave






#### **Inputs**

- Road and trail surfaces (paved vs gravel vs sand)
- Tsunami evacuation zone (XXL)
- DEM for slope and distance (lidar)
- Tsunami wave arrival times

#### **Outcomes:**

- Ideal evacuation routes
- Minimum evacuation speeds
- Vulnerabilities and mitigation options (primarily infrastructure)
- 4. Socioeconomic analysis (where are the vulnerable populations?)

## "Beat The Wave" Products




# 1. Tsunami wave arrival time map

Detailed map of the first tsunami wave arrival for the entire region




#### 2. Evacuation routes

Detailed information on the most efficient routes to safety (arrows)



#### 3. Evacuation communities

- "flow zones" or "watersheds"
- Zones delineating which safety destination is best for entire town
- These community boundaries will change depending on the scenario (i.e. non-retrofitted bridges out, or adding a vertical evacuation structure)





#### 4. Pedestrian travel speeds

- The <u>MINIMUM</u> walking speed someone must travel in order to reach safety ahead of the first tsunami arrival at the start of their route
- These speeds will change depending on the scenario (i.e. non-retrofitted bridges out, or adding a vertical evacuation structure)

Evacuation modeling benefits... routable roads = improved evacuation route planning










# Tsunami Building Damage and Casualty Estimation

**Goal:** Analyze community exposure to tsunami inundation in order to determine estimates of infrastructure damage and casualty numbers for Clatsop, Tillamook and Lincoln Counties.



M<sub>w</sub> 9.0 earthquake, 11 March 2011



Iwaki, Fukushima, Japan



Ofunato, Japan

## **Process Overview**

WHAT'S AT RISK?

WHAT'S THE **HAZARD?** 

#### **BUILDINGS**

- Usage
- Type

#### **PEOPLE**

- How many
- Where
- When (time of day and year)
- Who (Demographics)

#### **EARTHQUAKE**

- **Ground Shaking**
- **Ground Failure**

#### **TSUNAMI**

- Time of Arrival
- Extent
- Depth
- Momentum Flux

## **ANALYSIS**



v4.2 v4

earthquake model tsunami model

- includes landslides
- includes liquefaction


WHAT'S THE **IMPACT?** 

#### LOSS **ESTIMATES**

- **Buildings**
- Casualties
- Displaced Population
- **Debris**

## Natural Hazards

**Earthquake Scenario**: Cascadia M<sub>W</sub> 9.0 Ground Shaking: Site Amplification Ground Deformation: Liquefaction and Landslide Susceptibility



Tsunami Scenario (3 scenarios: M1, L1, XXL)

**Building Damage Model:** Momentum Flux and Flow Depth **Casualty model (Injuries + Fatalities):** Flow Depth Considerations: community preparedness (e.g. signs/drills, knowledge, milling behavior, route failures, vertical evacuation).

- **Hazus**: Estimates the damage to a "typical" building type (e.g. a wood-frame structure)
  - We can define building damage/losses well
  - We can define the permanent resident population pretty well
  - Problem is estimating the non-permanent population (scenarios)

## Population Modeling

> A "2 AM" scenario where most people are in a residential structure (including tents, RVs, boats etc.)

We differentiate between "permanent" residents versus "temporary" visitors. Why?

- Oregon coast is a hub for recreational activities (lots of visitors). Hotels, motels, vacation rentals, campgrounds located close to the ocean and hence the tsunami hazard.
- Visitors largely ignorant of the hazard
- Potential of underestimating casualties
- Communities need these data for mass care planning


Also, differentiates between <65 years & > 65 years

# Casualty Modeling


Populate buildings
with people
(summertime
weekend,
wintertime midweek)

Calculate
"Distance to Safety"
for each building's
occupants
("Beat the Wave")


Run FEMA Hazus Tsunami Casualty Model



# Community Profile Sheets



## Results - Casualties and Displaced Population



Earthquake deaths are generally low Cascadia tsunami fatalities are high. Estimates based on 3 counties indicate ~4,100 to 13,800 (M) and 8,500 to 32,400 (XXL); larger #s include visitor estimates.

## Oregon Office of Emergency Management

Be 2 Weeks Ready

Tsunami Debris Guide

ShakeAlert